



Laporan Harian Monitoring Perangkat GPON (OLT & ONU)

Periode 19 Mei - 21 Mei 2026

GEDUNG GRAHA DAPENBI

Jl. Ko-Transkop No. 1 RT.002 / RW. 001 Menteng
Dalam, Tebet Jakarta Selatan, Jakarta 12870



Tujuan

Laporan harian ini dilaporkan sebagai bentuk dari monitoring pada perangkat jaringan **GPON** :

- **OLT DASAN V5808**

- Power status
- Fan status
- Temperature status
- penggunaan resource (Processor & Memory)
- Konektivitas OLT <> ONU

- **ONU DASAN D 2124 GP**

- Kualitas Signal (Redaman)
- penggunaan resource (Processor & Memory)
- Temperature status

OLT DASAN V5808

Monitoring power, Fan dan Temperatur

The screenshot displays the DASAN Networks EMS interface for system management. The left sidebar shows a tree view with 'Hardware Information' selected. The main content area is divided into three sections: Power, Fan, and Temperature.

Power Section: A table showing the status of two power supply units (PSU).

Power Number	Power State	Power PSU Type
A	Run	
B	Run	

Fan Section: A table showing the status of four fans (A-1 and A-2).

Fan Number	Fan Status
A - 1	ok
A - 2	ok
A - 1	ok
A - 2	ok

Temperature Section: A table showing the status of a single temperature sensor (Number 1).

Temperature Number	Temperature State	Temperature Value	Low Threshold	High Threshold
1	Run	43	-20	80

Additional controls for the Temperature section include: Admin State: on, Start Temperature: 30, Stop Temperature: 0, Low Threshold: -20, and High Threshold: 80.


Power : Kedua sumber daya (Power Supply Unit - PSU) dalam kondisi "Run", yang menunjukkan bahwa kedua PSU berfungsi normal

Fan : Semua fan yang terpasang padaperangkat (Fan A-1 dan A-2) dalam kondisi "ok", dengan yang berarti kedua kipas bekerja perangkat baik Sehingga suhu terjaga tetap stabil.

Temperature : Suhu perangkat tercatat 43°C, yang menunjukkan bahwa suhu berada pada level yang normal dan belum mendekati batas atas yaitu 80°C

OLT DASAN V5808


Penggunaan CPU (periode 19 Mei - 21 Mei 2026)



Periode 19 Mei - 21 Mei 2026 menunjukkan penggunaan prosesor cenderung stabil dengan fluktuasi yang kecil. Penggunaan rata-rata berada di sekitar 8.1%, dengan puncak penggunaan mencapai sekitar 11.5%. Secara keseluruhan, penggunaan CPU pada periode 19 Mei - 21 Mei 2026 efisien dan terkelola dengan baik.

OLT DASAN V5808

Penggunaan Memory (periode 19 Mei - 21 Mei 2026)



Grafik menunjukkan penggunaan memori yang sangat stabil, dengan penggunaan memori yang hampir konstan sepanjang periode. Dengan total memori 955.69 MB, rata-rata penggunaan memori berada pada angka 252,17 MB, yang setara dengan 26.39 % dari total kapasitas memori, menunjukkan bahwa memori dikelola dengan efisien dan tidak ada lonjakan penggunaan yang signifikan selama periode tersebut.

Penggunaan Memory (periode 19 Mei - 21 Mei 2026)

Data Memory Actual :

Metric	Nilai	Satuan	Keterangan
Total Memory	955.69	MB	Memory fisik yang tersedia
Used Memory	252.17	MB	Memory yang digunakan
Free Memory	703.53	MB	Memory yang tersisa

Statistik Free Memory :

Metric	Nilai	Satuan	Persentase	Keterangan
Minimum	689.62	MB	72.16%	Free memory terendah
Maximum	703.57	MB	73.62%	Free memory tertinggi
Average	703.48	MB	73.61%	Rata-rata free memory

Analisis Usage Memory

Metric	Nilai	Persentase	Keterangan
Minimum Usage	252.12 MB	26.38%	(Total - Max Free)
Maximum Usage	266.07 MB	27.84%	(Total - Min Free)
Average Usage	252.21 MB	26.39%	(Total - Avg Free)
Current Usage	252.17 MB	26.39%	Usage saat ini

OLT DASAN V5808

Konektivitas OLT <> ONU

```
OLT-DAPENBI> show clock
May 22, 2026 14:39:01 (Fri) GMT
OLT-DAPENBI> show onu status
```

OLT	ONU	ACTIVE	Fail Reason	Profile Name
1	1	Active	Success	ONU
1	2	Active	Success	ONU
1	3	Active	Success	ONU
1	4	Active	Success	ONU
1	5	Active	Success	ONU
1	6	Active	Success	ONU
1	7	Active	Success	ONU
1	8	Active	Success	ONU
1	9	Active	Success	ONU
1	10	Active	Success	ONU
1	11	Active	Success	ONU
1	12	Active	Success	ONU
1	13	Active	Success	ONU
1	14	Active	Success	ONU

```
OLT-DAPENBI>
```

- Semua 14 ONU tercatat dalam status "Active". Ini menunjukkan bahwa seluruh perangkat ONU yang terhubung telah berhasil beroperasi dan berfungsi dengan baik, tanpa adanya masalah pada koneksi atau pengaturan perangkat.
- Kolom "Fail Reason" menunjukkan status "Success" untuk semua ONU, yang berarti tidak ada kegagalan yang terjadi dalam proses koneksi atau konfigurasi perangkat ONU.
- Pada kolom "Profile Name", semua ONU terdaftar dengan "ONU", yang menandakan bahwa semua perangkat ini beroperasi dengan profil yang sama, sesuai dengan pengaturan standar yang telah ditetapkan pada OLT.

ONU DASAN D1224GP

Kualitas Signal (Redaman)

```
OLT-DAPENBI> show clock
May 22, 2026 14:39:32 (Fri) GMT
OLT-DAPENBI> show onu info
```

OLT	ONU	STATUS	Serial No.	Distance	Rx Power	Profile
1	1	Active	DSNW050502eb	188m	- 13.9 dBm	ONU
1	2	Active	DSNW050502d7	189m	- 13.8 dBm	ONU
1	3	Active	DSNW0505031c	189m	- 14.3 dBm	ONU
1	4	Active	DSNW05050217	196m	- 17.7 dBm	ONU
1	5	Active	DSNW05050380	194m	- 14.3 dBm	ONU
1	6	Active	DSNW05050302	191m	- 11.8 dBm	ONU
1	7	Active	DSNW050503b8	159m	- 12.2 dBm	ONU
1	8	Active	DSNW05050206	188m	- 11.0 dBm	ONU
1	9	Active	DSNW05050135	172m	- 12.7 dBm	ONU
1	10	Active	DSNW05050136	189m	- 14.4 dBm	ONU
1	11	Active	DSNW0505016f	143m	- 16.1 dBm	ONU
1	12	Active	DSNW0505036f	187m	- 12.0 dBm	ONU
1	13	Active	DSNW050501bd	114m	- 13.0 dBm	ONU
1	14	Active	DSNW050501de	186m	- 11.0 dBm	ONU

```
OLT-DAPENBI>
```

Hasil monitoring menunjukkan kualitas redaman jaringan dalam kondisi optimal. Semua perangkat ONU beroperasi dengan level sinyal yang aman yaitu dibawah angka - 20 dBm (Rx Power), sehingga diasumsikan tidak ada indikasi gangguan.

ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
1	Lantai 1	1	<pre>ONU-Dasar#show clock 14:41:07 UTC Fri, May 22, 2026 ONU-Dasar#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 3.60% CPU utilization in one minute: 3.80% CPU utilization in five minutes: 3.60%</pre>	<pre>ONU-Dasar#show clock 14:41:13 UTC Fri, May 22, 2026 ONU-Dasar#show mem System Memory: 524288KB total, 252148KB used, 272140KB free, 48.0% used rate Used detail: 168816KB active, 80848KB inactive, 83976KB mapped, 33768KB slab, 45168KB core, 0KB others</pre>	<pre>ONU-Dasar#show clock 14:41:16 UTC Fri, May 22, 2026 ONU-Dasar#show temp ===== Slot Card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 35 ok ONU-Dasar#</pre>	• penggunaan CPU hanya sekitar 3.60% hingga 3.80% perangkat beroperasi efisien • 48.0% memori yang digunakan dan 52.0% yang masih tersedia. • Suhu perangkat 35°C (suhu normal)
2	Lantai 5	11	<pre>ONU-5#show clock 14:27:02 UTC Fri, May 22, 2026 ONU-5#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 3.00% CPU utilization in one minute: 2.70% CPU utilization in five minutes: 2.70%</pre>	<pre>ONU-5#show clock 14:27:05 UTC Fri, May 22, 2026 ONU-5#show mem System Memory: 524288KB total, 251256KB used, 273032KB free, 47.9% used rate Used detail: 159928KB active, 68512KB inactive, 83612KB mapped, 33726KB slab, 45168KB core, 0KB others</pre>	<pre>ONU-5#show clock 14:27:08 UTC Fri, May 22, 2026 ONU-5#show temp ===== Slot Card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 41 ok ONU-5#</pre>	• penggunaan CPU hanya sekitar 2.70% hingga 3.00% perangkat beroperasi efisien • 47.9% memori yang digunakan dan 52.1% yang masih tersedia. • Suhu perangkat 41°C (suhu normal)

ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
3	Lantai 6	9	<pre>ONU-6#show clock 14:29:06 UTC Fri, May 22, 2026 ONU-6#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 3.20% CPU utilization in one minute: 2.90% CPU utilization in five minutes: 2.90%</pre>	<pre>ONU-6#show clock 14:29:08 UTC Fri, May 22, 2026 ONU-6#show mem System Memory: 524288KB total, 25196KB used, 272892KB free, 47.9% used rate Used detail: 16029KB active, 68256KB inactive, 6338KB mapped, 33704KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-6#show clock 14:29:11 UTC Fri, May 22, 2026 ONU-6#show temp Slot Card_Type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 43 ok</pre>	• penggunaan CPU hanya sekitar 2.90% hingga 3.20% perangkat beroperasi efisien • 47.9% memori yang digunakan dan 52.1% yang masih tersedia. • Suhu perangkat 43°C (suhu normal)
4	Lantai 7	12	<pre>ONU-7#show clock 14:31:57 UTC Fri, May 22, 2026 ONU-7#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 6.30% CPU utilization in one minute: 3.80% CPU utilization in five minutes: 3.60%</pre>	<pre>ONU-7#show clock 14:32:03 UTC Fri, May 22, 2026 ONU-7#show mem System Memory: 524288KB total, 25192KB used, 273196KB free, 47.9% used rate Used detail: 15980KB active, 68480KB inactive, 6356KB mapped, 33700KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-7#show clock 14:32:03 UTC Fri, May 22, 2026 ONU-7#show temp Slot Card_Type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 41 ok</pre>	• penggunaan CPU hanya sekitar 3.60% hingga 6.30% perangkat beroperasi efisien • 47.8% memori yang digunakan dan 52.2% yang masih tersedia. • Suhu perangkat 41°C (suhu normal)

ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
5	Lantai 8.1	5	<pre>ONU-8_1#show clock 14:31:57 UTC Fri, May 22, 2026 ONU-8_1#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 3.30% CPU utilization in one minute: 3.30% CPU utilization in five minutes: 3.70%</pre>	<pre>ONU-8_1#show mem 14:32:00 UTC Fri, May 22, 2026 ONU-8_1#show mem System Memory: 524288KB total, 25176KB used, 27258KB free, 48.0% used rate Used detail: 16041KB active, 6888KB inactive, 63904KB mapped, 33712KB slab, 4516KB core, 0KB others</pre>	<pre>ONU-8_1#show temp 14:32:00 UTC Fri, May 22, 2026 ONU-8_1#show temp Slot Card_type Temp_name Current(C) Status 0 D2124GP air_inlet 37 ok ONU-8_1#</pre>	• penggunaan CPU hanya sekitar 3.30% hingga 3.70% perangkat beroperasi efisien • 48% memori yang digunakan dan 52% yang masih tersedia. • Suhu perangkat 37°C (suhu normal)
6	Lantai 8.2	14	<pre>Fri 2026/05/22 14:54:09 CCT 08:00 ONU-8_2#show cpu-util CPU Information: CPU Idle : 98 %</pre>	<pre>Fri 2026/05/22 14:54:19 CCT 08:00 ONU-8_2#show mem Memory information: Total Memory : 128 MB Free Memory : 40 MB Flash memory information: Total flash memory : 16 MB 512K be used to bootrom code. 192K be used to BSP configure(device-mac,serial-no, ...). 384K be used to APP configure(username, ...) 1M be used to user configure. 6.5M be used to default firmwares. : V1.00-Jun 08 2022 21:43:00 6.5M be used to secondary firmwares. : V1.00-Jun 08 2022 21:43:00</pre>		• penggunaan CPU hanya sekitar 2% dan iddle sekitar 98% perangkat beroperasi efisien • 88 MB memori yang digunakan dan 40 MB yang masih tersedia.

ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
7	Lantai 9.1	8	<pre>ONU-9_1#show clock Fri 2026/05/22 14:56:02 CCT 08:00 ONU-9_1#show cpu-util CPU Information: CPU Idle : 97 %</pre>	<pre>Fri 2026/05/22 14:56:07 CCT 08:00 ONU-9_1#show mem Memory information: Total Memory : 128 MB Free Memory : 40 MB Flash memory information: Total flash memory : 16 MB 512K be used to bootrom code. 192K be used to BSP configure(device-mac,serial-no, ...). 384K be used to APP configure(username, ...) 1M be used to user configure. 6.5M be used to default firmwares. : V1.00-Jun 08 2022 21:43:00 6.5M be used to secondary firmwares. : V1.00-Jun 08 2022 21:43:00 ONU-9_1#</pre>		• penggunaan CPU hanya sekitar 3% dan iddle sekitar 97% perangkat beroperasi efisien • 88 MB memori yang digunakan dan 40 MB yang masih tersedia.
8	Lantai 9.2	6	<pre>ONU-9_2#show clock 14:37:14 UTC Fri, May 22, 2026 ONU-9_2#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 10.80% CPU utilization in one minute: 5.80% CPU utilization in five minutes: 5.40%</pre>	<pre>ONU-9_2#show clock 14:37:28 UTC Fri, May 22, 2026 ONU-9_2#show mem System Memory: 524288KB total, 251416KB used, 272872KB free, 47.9% used rate Used Detail: 380220KB active, 68920KB inactive, 62094KB mapped, 33720KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-9_2#show clock 14:37:30 UTC Fri, May 22, 2026 ONU-9_2#show temp ----- Slot Card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 36 ok ONU-9_2#</pre>	• penggunaan CPU hanya sekitar 5.40% hingga 10.80% perangkat beroperasi efisien • 47.9 % memori yang digunakan dan 52.1 % yang masih tersedia. • Suhu perangkat 36°C (suhu normal)

ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
9	Lantai 9.3	7	<pre>ONU-9_3#show clock 14:43:06 UTC Fri, May 22, 2026 ONU-9_3#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 3.60% CPU utilization in one minute: 4.30% CPU utilization in five minutes: 3.60%</pre>	<pre>ONU-9_3#show mem 14:43:10 UTC Fri, May 22, 2026 ONU-9_3#show mem System Memory: 524288KB total, 25152KB used, 27263KB free, 47.9% used rate Used details: 16044KB active, 68924KB inactive, 63952KB mapped, 3372KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-9_3#show temp 14:43:14 UTC Fri, May 22, 2026 ONU-9_3#show temp Slot Card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 35 ok ONU-9_3#</pre>	• penggunaan CPU hanya sekitar 3.60% hingga 4.30% perangkat beroperasi efisien • 47.9% memori yang digunakan dan 52.1% yang masih tersedia. • Suhu perangkat 35°C (suhu normal)
10	Lantai 10.1	4	<pre>Fri 2026/05/22 15:02:02 CCT 08:00 ONU-10_1#show cpu-util CPU Information: CPU Idle : 97 %</pre>	<pre>Fri 2026/05/22 15:02:06 CCT 08:00 ONU-10_1#show mem Memory information: Total Memory : 128 MB Free Memory : 40 MB Flash memory information: Total flash memory : 16 MB 512K be used to bootrom code. 192K be used to BSP configure(device-mac,serial-no,...). 384K be used to APP configure(username,...) 1M be used to user configure. 6.5M be used to default firmwares. : V1.00-Jun 08 2022 21:43:00 6.5M be used to secondary firmwares. : V1.00-Jun 08 2022 21:43:00 ONU-10_1#</pre>		• penggunaan CPU hanya sekitar 3% dan iddle sekitar 97% perangkat beroperasi efisien • 88 MB memori yang digunakan dan 40 MB yang masih tersedia.

ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
11	Lantai 10.2	2	<pre>ONU-10.2#show clock 14:44:35 UTC Fri, May 22, 2026 ONU-10.2#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 10.60% CPU utilization in one minute: 3.90% CPU utilization in five minutes: 3.70%</pre>	<pre>ONU-10.2#show mem 14:44:39 UTC Fri, May 22, 2026 ONU-10.2#show mem System Memory: 524288KB total, 25166KB used, 272620KB free, 48.0% used rate Used detail: 160304KB active, 68952KB inactive, 63964KB mapped, 33748KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-10.2#show clock 14:44:42 UTC Fri, May 22, 2026 ONU-10.2#show temp Slot Card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 38 ok ONU-10.2#</pre>	• penggunaan CPU hanya sekitar 3.70% hingga 10.60% perangkat beroperasi efisien • 48% memori yang digunakan dan 52% yang masih tersedia. • Suhu perangkat 38°C (suhu normal)
12	Lantai 10.3	10	<pre>ONU-10.3#show clock 14:43:02 UTC Fri, May 22, 2026 ONU-10.3#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 6.30% CPU utilization in one minute: 4.40% CPU utilization in five minutes: 4.50%</pre>	<pre>ONU-10.3#show clock 14:43:07 UTC Fri, May 22, 2026 ONU-10.3#show mem System Memory: 524288KB total, 251792KB used, 272496KB free, 48.0% used rate Used detail: 160412KB active, 68980KB inactive, 63964KB mapped, 33780KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-10.3#show clock 14:43:12 UTC Fri, May 22, 2026 ONU-10.3#show temp Slot Card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 37 ok ONU-10.3#</pre>	• penggunaan CPU hanya sekitar 4.40% hingga 6.30% perangkat beroperasi efisien • 48% memori yang digunakan dan 52% yang masih tersedia. • Suhu perangkat 37°C (suhu normal)


ONU DASAN D1224GP

Monitoring CPU, Memory dan Temperature

No.	Penempatan ONU	ONU ID	CPU	Memory	Temperature	Keterangan
13	Lantai 11	13	<pre>ONU-11-New#show clock 15:00:09 UTC Fri, May 22, 2026 ONU-11-New#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 5.10% CPU utilization in one minute: 4.90% CPU utilization in five minutes: 5.20%</pre>	<pre>ONU-11-New#show mem 15:00:14 UTC Fri, May 22, 2026 ONU-11-New#show mem System Memory: 324288KB total, 251708KB used, 272580KB free, 45.0% used rate Used detail: 160400KB active, 68912KB inactive, 63908KB mapped, 33712KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-11-New#show temp 15:00:17 UTC Fri, May 22, 2026 ONU-11-New#show temp slot card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 37 ok ONU-11-New#</pre>	• penggunaan CPU hanya sekitar 4.90% hingga 5.20% perangkat beroperasi efisien • 48.0% memori yang digunakan dan 52.0% yang masih tersedia. • Suhu perangkat 37°C (suhu normal)
14	Lantai 12	3	<pre>ONU-12#show clock 15:02:14 UTC Fri, May 22, 2026 ONU-12#show cpu ===== [Slot 0: D2124GP] CPU Using Rate Information CPU utilization in five seconds: 3.80% CPU utilization in one minute: 4.00% CPU utilization in five minutes: 4.30%</pre>	<pre>ONU-12#show mem 15:02:19 UTC Fri, May 22, 2026 ONU-12#show mem System Memory: 324288KB total, 251756KB used, 272532KB free, 48.0% used rate Used detail: 160592KB active, 68836KB inactive, 63876KB mapped, 33768KB slab, 45160KB core, 0KB others</pre>	<pre>ONU-12#show temp 15:02:22 UTC Fri, May 22, 2026 ONU-12#show temp slot card_type Temp_name Current(C) Status ----- 0 D2124GP air_inlet 38 ok ONU-12#</pre>	• penggunaan CPU hanya sekitar 3.80% hingga 4.30% perangkat beroperasi efisien • 48.0% memori yang digunakan dan 52.0% yang masih tersedia. • Suhu perangkat 38°C (suhu normal)

Pemberitahuan Tentang ONU yang Tidak Aktif

Pada tanggal 21 Mei 2026, seluruh perangkat ONU mengalami down sekitar pukul 16 : 00 dikarenakan pemadaman sesaat oleh PLN. Namun kembali normal pada pukul 16 : 40 dengan status UP.



Kesimpulan

Secara keseluruhan, OLT Dasan V5808 dan ke 14 ONU Dasan pada periode 19 Mei - 21 Mei 2026 beroperasi dengan stabil dan efisien, dengan penggunaan resource yang terjaga dalam batas normal, serta temperatur perangkat yang aman. Semua ONU yang terhubung dalam status aktif. Dan setiap redaman yang ada semuanya dalam keadaan redaman yang baik. Perangkat secara keseluruhan tidak menunjukkan adanya masalah.

Penutup

Sebagai penutup, hasil pemantauan terhadap OLT Dasan V5808 dan 14 ONU Dasan menunjukkan bahwa perangkat beroperasi dengan sangat baik, menjaga kestabilan dan efisiensi sistem jaringan. Dengan penggunaan CPU dan memori yang terjaga, temperatur perangkat yang aman, serta semua ONU yang terhubung berfungsi aktif, kualitas layanan yang diberikan tetap optimal. Meskipun ada variasi kecil pada kualitas redaman, secara keseluruhan, jaringan tetap berjalan lancar tanpa adanya gangguan berarti.

Hormat kami,
PT. Binakarsa Swadaya

Gilang Hidayah



System Engineer

Farid Maulid Hakim

Building Manager

Terima Kasih

